

CORRECTION

Open Access



Correction to: Increase in the prevalence of hypertension among adults exposed to the great Chinese famine during early life

Lingli Liu^{1,2,3†}, Xianglong Xu^{1,2,3†}, Huan Zeng^{1,2,3}, Yong Zhang^{1,2,3}, Zumin Shi⁴, Fan Zhang^{1,2,3}, Xianqing Cao^{1,2,3}, Yao Jie Xie⁵, Cesar Reis⁶ and Yong Zhao^{1,2,3*}

Correction

The ‘Conclusion’ section in the Abstract was published incorrectly in the original publication of the article [1] and is corrected with this erratum as below: “Fetal exposure to the Chinese famine may be associated with an increased risk of hypertension in adulthood in women.”

Line #4 in Background on Page 1, “Hypertension causes a significant burden to the families and the society [1].”

The authors would like to correct the errors which have occurred in the ‘Table’ section, of the original publication as shown in the revised table.

Among male participants, we all use column percent in other variables, therefore, we should not use row percentage to describe “Fetal exposure” group, therefore, the authors would like to correct the error.

In ‘Table 2’ section, the number of vertical subheading “Childhood exposure ($n = 455$)” group and “Fetal and infant exposure ($n = 299$)” group was published incorrectly in the original publication of the article and are corrected with this erratum. The correct number should be “Childhood exposure ($n = 299$)” and “Fetal and infant exposure ($n = 455$)”. The underlined values in Table 1 and Table 2 have been corrected via this erratum.

Table 1 Characteristics of the study participants, Chongqing, China (%)

Variable	Hypertension ($n = 150$)	Non-Hypertension ($n = 1074$)	p -value
Timing of exposure to famine			0.0524
Childhood exposure	32.00	<u>23.37</u>	
Fetal and infant exposure	<u>36.00</u>	<u>37.34</u>	
Non-exposure	<u>32.00</u>	<u>39.29</u>	
Gender			< 0.001**
Male	75.33	53.45	
Female	24.67	46.55	
Male			0.305
Childhood exposure	<u>29.20</u>	<u>23.34</u>	
Fetal and infant exposure	<u>38.05</u>	<u>37.46</u>	
Non-exposure	32.74	39.20	
Female			0.065
Childhood exposure	29.73	37.20	
Fetal and infant exposure	40.54	23.40	
Non-exposure	29.73	39.40	

Definition: 1) **Statistical difference exists ($p < 0.001$), *with statistical difference ($P < 0.05$)

Table 2 Characteristics of the study participants, Chongqing, China

Variable	Childhood exposure ($n = 299$)	Fetal and infant exposure ($n = 455$)	Non-exposure ($n = 470$)	p -value
Age (Mean/SD)	49.69(0.79)	47.28(0.45)	43.44(0.62)	< 0.001**

Definition: 1) **Statistical difference exists ($p < 0.001$)

* Correspondence: zhaoyong@cqmu.edu.cn; zhaoyongzb@qq.com

†Equal contributors

¹School of Public Health and Management, Chongqing Medical University, Chongqing 400016, China

²Research Center for Medicine and Social Development, Chongqing Medical University, Chongqing 400016, China

Full list of author information is available at the end of the article



Author details

¹School of Public Health and Management, Chongqing Medical University, Chongqing 400016, China. ²Research Center for Medicine and Social Development, Chongqing Medical University, Chongqing 400016, China. ³The Innovation Center for Social Risk Governance in Health, Chongqing Medical University, Chongqing 400016, China. ⁴School of Medicine, Faculty of Health Sciences, The University of Adelaide, North Terrace, Adelaide, SA 5005, Australia. ⁵School of Nursing, The Hong Kong Polytechnic University, Hong Kong, Hong Kong, Special Administrative Region of China. ⁶Department of Preventive Medicine, Loma Linda University Medical Center, 24785 Stewart Street, Suite 204, Loma Linda, CA 92354, USA.

Received: 9 January 2018 Accepted: 15 February 2018

Published online: 15 March 2018

Reference

1. Liu, et al. Increase in the prevalence of hypertension among adults exposed to the great Chinese famine during early life. *Environ Health Prev Med.* 2017;22:64. <https://doi.org/10.1186/s12199-017-0671-2>.